

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**




FIG. 1

SUNIP707




FIG. 2




FIG. 3

400
NCA402
NCAFS404
HTTP Daemon
Web server

Connection 406

408

Connection Identifier
and HTTP Request
over Permanent
listening Stream410
Store Connection
Identifier & Request

Send Connection Ind.

412

Accept Connection 414

Command to Read Req

418

Send the Request 420

Prepare the
Response 422Establish Stream to
Send down HTTP Resp
while HTTP daemon is
reading (418) the Req
and preparing the
response ~~425~~ (422)

<--- 416

Send the Response 424

Send the Connection
Identifier and Resp
Over the Stream
Established in (416)
426

<-----

0954103 - 0954100

2

FIG. 4




FIG. 5




FIG. 6




FIG. 7

802

Command and Control		
804 ~	HTTPOP: REQ/AS	806 ~
808 ~	FIRST MORE PREEMPT	812 810
DATA TRANSPORT INFORMATION		
814 ~	① DATA ~816	DATA REGION
818 ~	② DIRECT	③ DIRECT-TYPE ~820
824 ~	④ TRAILER ~822	⑤
CACHING ATTRIBUTES		
	① ADVISORY STATE ~826	
	② ADVISE STATE ~832	
	③ NOCACHE ~828	
	④ CTAG ~830	

FIG. 8




Figure 9